



HEMTEK ST

Smart efficiency.



#hemtek

www.leister.com

We know how.

HEMTEK ST: Hem welding has never been so easy and affordable.

The HEMTEK ST is designed for a wide range of applications and is particularly intuitive to use. Once the machine is mounted, you can start welding immediately. Preparing or finishing with hot-air hand tools is no longer necessary. From now on, you quickly can weld promotional banners or tarpaulins from corner-to-corner with ease.



Thanks to the foot pedal, both hands are free to guide the material. High weld quality and stress-free welding experience quaranteed.



Whether sitting or standing, the HEMTEK ST can be used at almost any work table.

Hot-air welding machine

HEMTEK ST

- Welding speeds of up to 39 feet per minute
- Very strong blower
- Tool-free setting of the hem guide
- One hem guide, three applications: Hems: 0.8/1.2/1.6 inches; Pole pockets: up to 4 inches; Hems with rope
- Easy-to-use: Thanks to the foot pedal, your hands are free to guide the material
- Everything in a single step: No need to weld with hot-air hand tools afterwards
- All welding parameters are adjustable
- Cooldown mode
- Can be mounted onto almost any table: freely-adjustable, quick-clamp lock

Technical data				
		120 V	230 V	
Voltage	V~	120	230	230
Frequency	Hz	50/60	50/60	50/60
Power	W	1800	3450	2350
Temperature, stepless	°F	212 – 1202		
Air quantity, stepless		1 – 10		
Drive, stepless	ft./min.	2.6 – 39		
Welding width	in.	0.8/1.2/1.6	1.2 / 1.6	0.8
Emission	L _{pA} (dB)	70 (K = 3 dB)		
Size (L \times W \times H)	in.	17 × 14 × 24		
Weight	lbs.	60 (Including table mount)		
Conformity mark		CE	C€	C€
Protection class I			(<u></u>

Included with purchase:

Hot-air welder, table mount, hem guide, scraper, silicone stopper, operating instructions, general catalog, folder

Article No.:


157.871 HEMTEK ST, 120 V / 1800 W, 0.8 inch, US-plug 157.870 HEMTEK ST, 120 V / 1800 W, 1.2 inches, US-plug 157.869 HEMTEK ST, 120 V / 1800 W, 1.6 inches, US-plug

Accessories HEMTEK ST

157.048 157.047 108.117	Pressure roller, top 0.8 inch 1.2 inch 1.6 inch	
157.070 157.071 161.202	Pressure roller, bottom 0.8 inch 1.2 inch 1.6 inch	
157.707 157.706 157.705	Nozzle 0.8 inch 1.2 inch 1.6 inch	
157.098	Nozzle adjustment gauge	
156.472	Adjustable hemming/piping guide	
157.879	Adjustable hemming/piping guide for heavy materials	
155.800	Overlap guide	
159.780	Tape welding guide	
160.269	Contact pressure weight large	
153.947 149.675 155.473	Heating elements 120 V/1800 W (0.8/1.2/1.6 inch) 230 V/2200 W (0.8 inch) 230 V/3300 W (1.2/1.6 inch)	
157.540	Silicone stopper	
116.798	Brass brush	
	157.047 108.117 157.070 157.071 161.202 157.707 157.706 157.705 157.098 156.472 157.879 155.800 160.269 153.947 149.675 155.473	

www.leister.com





Our close worldwide network of more than 130 Sales and Service Centres in more than 100 countries.

Europe: Andorra Austria	Sweden Switzerland Turkey	Poland Romania Russia	Chile Colombia Ecuador	Africa: Algeria Botswana	Asia Pacific: Bangladesh China
Belgium	United Kingdom	Serbia	Peru	Egypt	Hong Kong
Cyprus	Vatican	Slovakia	Venezuela	Ivory Coast	India
Denmark	Albania	Slovenia		Kenya	Indonesia
Finland	Armenia	Ukraine	Central Asia:	Lesotho	Japan
France	Azerbaijan		Kazsachstan	Libya	Korea
Germany	Belarus	Americas:	Kyrgyzstan	Malawi	Macao
Greece	Bosnia-Herzegovina	Canada	Tajikistan	Morocco	Malaysia
Iceland	Bulgaria	Mexico	Turkmenistan	Mozambique	Mongolia
Ireland	Croatia	USA	Uzbekistan	Namibia	Philippines
Italy	Czech Republic	Belize		North Sudan	Singapore
Luxembourg	Estonia	Costa Rica	Middle East:	South Africa	Sri Lanka
Malta	Georgia	El Salvador	Bahrain	Swaziland	Taiwan
Monaco	Hungary	Guatemala	Iraq	Tunisia	Thailand
Netherlands	Kosovo	Honduras	Israel	Zambia	Vietnam
Norway	Latvia	Nicaragua	Jordan	Zimbabwe	
Portugal	Lithuania	Panama	Qatar		Oceania:
Liechtenstein	Macedonia	Argentina	Saudi Arabia		Australia
San Marino	Moldova	Bolivia	U.A.E		New Zealand
Spain	Montenegro	Brazil			

© Copyright by Leister, Switzerland

info.de@leister.com

Your Leister Sales and Service Center:

phone: +86 21 6442 2398 leister@leister.cn

Leister Technologies KK

Osaka 564-0051 / Japan
phone: +81 6 6310 62 00
sales-japan@leister.com

Leister Technologies Benelux BV
3991 CE Houten / Nederland
phone: +31 (0)30 2199888

Leister Technologies Italia s.r.l. 20090 Segrate / Italia phone: +39 02 2137647 sales@leister.it

Leister Technologies India Pvt 600 041 Chennai / India phone: +91 44 2454 3436

info@leister.nl

info@leister.in

Leister Technologies

Deutschland GmbH

D-58093 Hagen / Germany
phone: +49-(0)2331-95940

