

*freetex*TM SERIES

Light, Vivid Color, Free ~



1. Concept

freetex™

3 in 1 Canvas + Tyvek + Cloth ...→ **freetex**

Make with good points of Canvas, Tyvek and Fabric **freetex™**

Light

Durable but easy to cut, easy to deal with strong on scratches
Soft and light, excellent in air permeability

Vivid Color

Present vivid color images on pure-white surface.
Feel brilliant texture like canvas

Free ~

Adhesive and non adhesive products of air free function.
Multifunction material to free use for variety of
purposes like fine-art, banner and wall paper




2. Process

Raw material



100% Polyester chip - PVC Free

Fabric production and embossing



Express canvas texture on long fiber polyester non-woven fabric

Base Coating



Make non-woven fabric a film through the filling coating process

Top Coating




Top coating with special chemical we developed

Slitting



Slit finished products to in each size

Roll or Sheet



Supply a roll(adhesive/non-adhesive) or sheets(non-adhesive)

3. Feature

1. 100% long fiber Polyester non-woven fabric

- ▶ Good tension, durability and breathability
- ▶ Express high quality embossing of canvas texture

2. Multiple Use

- ▶ Light, strong, and easy to handle by expressing good points of Canvas, Tyvek
Substitute for high priced canvas
- ▶ Excellent utilization with adhesive type/non-adhesive type and roll/sheet
- ▶ Multiple uses for various purposes like fine arts, banners, wall paper etc.

3. High Value

- ▶ High Color Density! Special coating skill - Express vivid color on pure white surface
- ▶ High Image Sharpness! Express high resolution image with perfect definition
- ▶ High Quality! High quality texture, easy to cut, and anti-static

4. Application



| Banner



| Roll screen



| Shop display



| Flag



| Placard

4. Application



| Painting



| Exhibit / Display



| Photo frame



| Wall paper



| Graphic frame



| Interior display



| Photo book

5. Standard

PRODUCT STANDARD

CODE	RODUCTS NAME	THICKNESS	WEIGHT	COATING	SURFACE	CORE	WIDTH	LENGTH	New Product	Eco	Premium	Quick Dry	Water Resist.	Anti Scratch	Pigment	Eco Solvent	Latex	UV Curable
FT330	Freetex™ 330	330mic	170gr/m²	Porous	Matte	2"	36", 50", 60"	30m, 50m	NEW	✓	✓	✓	✓	✓	✓	✓	✓	✓
EFT350	Eco-sol Freetex™ 350	350mic	210gr/m²	Resin/Porous	Semi-Matte	3"	36", 50", 60"	30m, 50m	NEW	✓	✓	✓	✓	✓	✓	✓	✓	✓
FTR330	Freetex™ Removal 330	330mic	190gr/m²	Porous	Matte	2"	36", 50", 60"	30m, 50m	NEW	✓	✓	✓	✓	✓	✓	✓	✓	✓
EFTR350	Eco-sol Freetex™ Removal 350	350mic	230gr/m²	Resin/Porous	Semi-Matte	3"	36", 50", 60"	30m, 50m	NEW	✓	✓	✓	✓	✓	✓	✓	✓	✓

* **BASE MATERIAL** N.W.F 100g **WIDTH** 36", 50", 60" **LENGTH** 30m, 50m


* Other roll & Other sheet available on demend



Sheet type



Roll type



* Box design can be changed



Johns Media Co., Ltd.

14, Junggado-gil, Gunsan-si, Jeollabuk-do, Korea

TEL. +82-63-461-6281 FAX. +82-63-471-6281

www.johnsmedia.co.kr