Product Name : RICOH Garment Ink Cartridge Black Ri 1000 Type G1 SDS Number : 342552 Date Prepared : 17/04/2019 Date Modified : 17/04/2019 Date : 09/05/2019

## RICOH

### Safety Data Sheet (ISO form)

#### 1. Product and Company Identification

Product Name General Use SDS Number Company Name	:RICOH Garment Ink Cartridge Black Ri 1000 Type G1 :The image formation of printing machine or copier. :342552 : Ricoh Company,Ltd.
Department	:Product Safety Engineering Department, Safety and Environmental
Department	Engineering Center, Quality Management Division
Address	:146-1 Nishisawada, Numazu-shi, Shizuoka-ken, 410-0007, Japan
Telephone Number	:055-920-1470, Japan
Telefax Number	:055-920-1479, Japan
E-mail	:msdsinfo@nts.ricoh.co.jp
	.msusimo@ms.ncon.co.jp

#### 2.Composition/Information on Ingredients

#### Substance or Preparation

#### Preparation Chemical Nature

Ingredients	Chemical Formula	CAS.No.	Contents(%)
Carbon Black	С	1333-86-4	1-10
Ethylene glycol	C2H6O2	107-21-1	1-10
Additive agents	Confidential	Confidential	<5
Humectant	Confidential	Confidential	30-40
Water	H2O	7732-18-5	45-65

This product does not contain any of the following substances as ingredients. Cadmium, Hexavalent Chromium, Mercury, Lead, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), SVHC (substances of very high concern: published by ECHA).

And if it contains any impurities, it does not exceed any of the thresholds of RoHS.

Hazardous Ingredients Information

Chemical Name : Carbon Black			
CAS Number	: 1333-86-4	EEC Number	: 215-609-9
OSHA Z-Tables (USA)	: 3.5mg/m3	ACGIH-TLV	: 3.0mg/m3
NTP (USA)	: Not listed	IARC Monographs	: Group 2B
Symbol (EÚ)	: Not listed	R-Phrase (EŬ)	: Not listed
DFG-MAK	:III 3B	OELs-TWÀ (Áustralia)	: 3.0mg/m3
California Proposition 65 (USA)	: Listed	, , , , , , , , , , , , , , , , , , ,	Ŭ
,			

#### **3.Hazards Identification**

The Most Important Hazards	
Adverse Human Health Effects	
There are no significant hazards expected with intended use.	
Environmental Effects	
There are no significant hazards expected with intended use.	
Physical and Chemical Hazards	
There are no significant hazards expected with intended use.	
Specific Hazards	
There are no significant hazards expected with intended use.	

Product Name RICOH Garment Ink Cartridge Black Ri 1000 Type G1 SDS Number : 342552 Date Prepared : 17/04/2019 Date Modified : 17/04 2019 OutputDate : 09/05/2019

# RICOH

Main Symptoms Acute Inhalation Toxicity Under normal use conditions, there is no possibility to inhale the particle of ink. Acute Oral Toxicity Low acute toxicity in animal experiment. Acute Eye Irritation May be non-irritant. Acute Skin Irritation May be non-irritant. Sensitization From test no apparent significant hazards are expected. Chronic Effect Under normal use conditions, there is no possibility to inhale the particle of ink. Carcinogenicity Carbon black contained in this product is classified to Group 2B of IARC as the result of inhalation test in use of rat. This is due to the fact that rat alone showed lung tumor in the animal experiment under very high concentration. During a normal use of this product, design of the cartridge proves it impossible to have powder carbon black released to the air. Intake from the mouth and skin does not show carcinogenicity. The Classification of The Chemical Product This preparation is not classified as dangerous according to Regulation (EC) No 1272/2008. **4.First-Aid Measures** Inhalation Remove from exposure into fresh air if symptoms are experienced. Seek medical advice. Skin Contact Wash thoroughly with soapy water. Eve Contact Flush with a large amount of water until particles are removed. Seek medical advice. Ingestion If swallowed, rinse mouth, do not induce vomiting. / If necessary, seek medical advice. Notes to a physician Not applicable 5. Fire-Fighting Measures Extinguishing Media CO2, dry chemicals, foam or water. Extinguishing Media to Avoid Not applicable. Specific Hazards Not applicable Specific Method No special fire protecting method is required. Sprinkling or fire extinguishers can be used. Protection of Fire-fighters Wear gloves, glasses, a mask if necessary. 6.Accidental Release Measures Personal Precautions Take off dirty clothes and wash them or have them dry-cleaned before wearing again. **Environment Precautions** Do not exposure to sewers and watercourses.

Methods for Cleaning Up

If spilled, wipe up with paper or cloth.

Product Name : RICOH Garment Ink Cartridge Black Ri 1000 Type G1 SDS Number : 342552 Date Prepared : 17/04/2019 Date Modified : 17/04/2019 Output Date : 09/05/2019

# **RICOH**

7.Handling and Storage Handling **Technical Measures/Precautions** Not applicable Safe Handling Advice Keep away from heat, flame or spark. Do not dismantle cartridge. Storage **Technical Measures** Not applicable Storage Conditions Keep out of reach of children. For the sake of quality, store in dry and well-ventilated area it should not exceed 35 degrees centigrade for a long time and avoid direct sunlight. Packaging Material Not applicable Specific Use(s) The Image Formation of Printing Machine or Copier.

#### 8. Exposure Controls/Personal Protection

**Technical Measures** Use adequate ventilation. None required with intended use. **Control Parameters** USA OSHA PEL (TWA) : Not applicable ACGIH TLV (TWA) : Not applicable DFG MAK : Not applicable Personal Protection **Respiratory Protections** None required in normal use. Hand Protection Use vinyl or rubber gloves if necessary. Eye Protection Put on goggles if necessary. Skin and Body Protection Wear chemical-resistant apron or other impervious clothing if necessary. Hygiene Measures Wash hands after handling.

#### 9. Physical and Chemical Properties

: Liquid
: Liquid
: Black
: acrylic-like
Measuring Temp (degrees centigrade) : 25
atures/Temperature Ranges at Which Changes in Physical State Occur
legrees : Not available
oint (degrees : Not available
emperature (degrees : Not available

Flash Point (degrees centigrade) Explosion Properties (degrees centigrade)

Not availableThis product is considered a nonexplosive material under normal use.

Product Name : RICOH Garment Ink Cartridge Black Ri 1000 Type G1 SDS Number : 342552 Date Prepared : 17/04/2019 Date Modified : 17/04/2019 OutputDate : 09/05/2019

# **RICOH**

Vapor Pressure (Pa)	Not available	
Vapor Donsity(AIR=1)	Not available	
Density(AIR=1) Density (g/cm3)	Approx.1.1	Measuring Temp (degrees centigrade) : 23
Solubility Water Solubility (g/ Octanol/Water Partition Not available Other Information	· ·	ible Measuring Temp (degrees centigrade) : 25
	: Not flammable : Approx.0.011 : 45-65	Measuring Temp (degrees centigrade) :25

10.Stability and Reactivity Stability Stable Hazardous Reaction There is no significant hazardous reaction expected with intended use. Conditions to Avoid Not applicable in normal use. Materials to Avoid Not applicable in normal use. Hazardous Decomposition Products Decomposition products will not occur.

### 11.Toxicological Information

Acute Toxicity
Acute Oral Toxicity (LD50) :
5000 or over [mg/kg] (Rat) (OECD TG423)
Acute Dermal Toxicity :
Not available
Acute Inhalation Toxicity :
Not available
Local effects
Acute Skin Irritation(PII):
1.0 or below (Rabbit) (OECD TG404)
Acute Eye Irritation :
Non-irritant
Sensitization
Acute Allergenic Effects :
0 % (Mouse) (OECD TG429)
Specific Effects
Carcinogenicity :
Carbon black contained in this product is classified to Group 2B of IARC as the result of inhalation
test in use of rat.
This is due to the fact that rat alone showed lung tumor in the animal experiment under very high
concentration.
During a normal use of this product, design of the cartridge proves it impossible to have powder
carbon black released to the air.
Intake from the mouth and skin does not show carcinogenicity.

Mutagenicity : Negative (Ames test) Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health.

12.Ecological Informat Mobility Persistence/Degradabilit	: No data	a are available on the adverse effect one environment. ailable
У		
Bioaccumulation	: Not ava	ailable
Ecotoxicity		
Acute Toxicity for Fish (	LC50)	: over100mg/l/96hr
Acute Toxicity for Daphi	nia	: over 100mg/l/48hr
(EC50)		
Algae Inhibition Test		: over100mg/I/72hr
(IC50)		

13.Disposal Consideration

General information:

Dispose of waste and residues in accordance with local authority requirements Disposal methods: Disposal recommendations are based on material as supplied. Disposal must be in accordance with

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Confirm disposal procedures with local regulations. Precautions:

Not available

#### 14. Transport Information

14. 1141150011 111011114	
International Regulation	S
Land Transport	
RID/ADR	: Not applicable
DOT 49 CFR	: Not applicable
ADNR	: Not applicable
Sea Transport	
IMDG Code	: Not applicable
Air Transport	
ICAO-TI/IATA-DGR	: Not applicable
The UN Classification	: Not applicable
Number	
Class	: Not applicable
	ransport Measures and conditions in quality.Do not keep this over 35 degrees centigrate.
Avoid difect surlight	in quality. Do not keep this over 50 degrees certigrate.

### 15.Regulatory Information

This product complies with all applicable rules and regulations under TSCA. SARA Title III 313 Reportable Ingredients : Regulated California Proposition 65 : Not regulated Canada Information WHMIS Controlled product : Not a controlled product

## RICOH

16. Other Information NFPA Hazard Rating: National Fire Protection Agency (USA) Health ; 1, Flammability ; 1, Reactivity ; 0 HMIS Rating : The National Paint and Coating Association (USA) Health; 1, Flammability; 1, Reactivity; 0 Literature References : ANSI Z400.1-1993 ISO 11014-1 IARC (1996) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.65, Printing Process and Printing Inks, Carbon Black and Some Nitro Compounds", Lyon, pp149-261 H. Muhle, B. Bellman, O. Creutzenberg, C. Dasenbrock, H. Emst, R. Kilpper, J.C. MacKenzie, P. Morrow, U. Mohr, S. Takenaka and R. Mermelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats" Fundamental and Applied Toxicology 17, pp 280-299 IARC (2008) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.93" NIOSH CURRENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation for Occupational Exposure to Titanium Dioxide DRAFT" ACGIH-TLV : Threshold Limit Values for Chemical Substances and Physical Agents and **Biological Exposure Indices OSHA** Z-Tables : US Department of Labor, 29CFR Part 1910, Tables Z-1, Z-2, and Z-3 NTP (USA) : US Department of Health and Human Services National Toxicology **Program Annual Report on Carcinogens** DFG-MAK DFG List of MAK and BAT Value Symbol (EC) : Regulation (EC) No 1272/2008 91/155/ EEC : EU Directive 91/155/ EEC (EC) No 1907/2006 : Regulation (EC) No 1907/2006 Annex XVII Annex XVII (EC) No. 689/2008 : Regulation (EC) No 689/2008 WHMIS Controlled : Canada Workplace Hazardous Information System product : Guidance Note on the Interpretation of Exposure Standards for **OELs-TWA** (Australia) Atmospheric Contaminants in the Occupational Environment [NOHSC: 3008 (1995)] Abbreviations : OSHA PEL PEL (Permissible Exposure Limit) under Occupational Safety and Health Act ACGIH-TLV TLV (Threshold Limit Values) under American Conference of Governmental Industrial Hvaienists REACH (EC)No.1907/2006:Council Regulation concerning the Registration, Evaluation, Authorization and Restriction of Chemicals SVHC Substances of Very High Concern ECHA The European Chemicals Agency DFG-MAK MAK (Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft Restriction of the use of certain Hazardous Substances in Electrical and Electronic RoHS Equipment TWA Time Weighted Average IARC International Agency for Research on Cancer NTP National Toxicology Program WHMIS Workplace Hazardous Information System NOHSC National Occupational Health and Safety Commission Act 1985 Disclaimer : This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of RICOH COMPANY, LTD. It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

RICOH COMPANY, LTD assumes no legal responsibility for use or reliance upon this information.

Product Name : RICOH Garment Ink Cartridge Cyan Ri 1000 Type G1 SDS Number : 342553 Date Prepared : 17/04/2019 Date Modified : 17/04/2019 Date : 09/05/2019

## RICOH

### Safety Data Sheet (ISO form)

#### 1. Product and Company Identification

Product Name General Use SDS Number	:RICOH Garment Ink Cartridge Cyan Ri 1000 Type G1 :The Image Formation of Printing Machine :342553
Company Name	: Ricoh Company,Ltd.
Department	:Product Safety Engineering Department, Safety and Environmental
	Engineering Center, Quality Management Division
Address	:146-1 Nishisawada, Numazu-shi, Shizuoka-ken, 410-0007, Japan
Telephone Number	:055-920-1470, Japan
Telefax Number	:055-920-1479, Japan
E-mail	:msdsinfo@nts.ricoh.co.jp

#### 2.Composition/Information on Ingredients

#### Substance or Preparation

#### Preparation Chemical Nature

Ingredients	Chemical Formula	CAS.No.	Contents(%)
Ethylene glycol	C2H62	107-21-1	1-10
Organic Pigment(Copper compound)	Confidential	Confidential	1-10
Additive agents	Confidential	Confidential	<5
Humectant	Confidential	Confidential	20-30
Water	H2O	7732-18-5	55-75

This product does not contain any of the following substances as ingredients.

Cadmium, Hexavalent Chromium, Mercury, Lead, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), SVHC (substances of very high concern: published by ECHA).

And if it contains any impurities, it does not exceed any of the thresholds of RoHS.

#### **3.Hazards Identification**

The Most Important Hazards

Adverse Human Health Effects

There are no significant hazards expected with intended use.

Environmental Effects

There are no significant hazards expected with intended use. Physical and Chemical Hazards

There are no significant hazards expected with intended use. Specific Hazards

There are no significant hazards expected with intended use.

Product Name : RICOH Garment Ink Cartridge Cyan Ri 1000 Type G1 SDS Number : 342553 Date Prepared : 17/04/2019 Date Modified : 17/04 2019 OutputDate : 09/05/2019

## **RICOH**

Main Symptoms Acute Inhalation Toxicity	
Under normal use conditions, there is no possibility to inhale the particle of ink.	
Acute Oral Toxicity	
Low acute toxicity in animal experiment.	
Acute Eye Irritation	
May be non-irritant.	
Acute Skin Irritation	
May be non-irritant.	
Sensitization	
From test no apparent significant hazards are expected.	
Chronic Effect	
Under normal use conditions, there is no possibility to inhale the particle of ink.	
Carcinogenicity	
This product does not contain the substances classified as carcinogenic by NTP, IARC or OSHA. The Classification of The Chemical Product	
This preparation is not classified as dangerous according to Regulation (EC) No 1272/2008.	
4.First-Aid Measures	_
Remove from exposure into fresh air if symptoms are experienced. Seek medical advice. Skin Contact	
Wash thoroughly with soapy water.	
Eye Contact	
Flush with a large amount of water until particles are removed. Seek medical advice.	
Ingestion	
If swallowed, rinse mouth, do not induce vomiting. / If necessary, seek medical advice.	
Notes to a physician	
Not applicable	
5.Fire-Fighting Measures	
Extinguishing Media	
CO2, dry chemicals, foam or water.	
Extinguishing Media to Avoid	
Not applicable.	
Specific Hazards	
Not applicable	
Specific Method	

No special fire protecting method is required. Sprinkling or fire extinguishers can be used.

### Protection of Fire-fighters

Wear gloves, glasses, a mask if necessary.

### 6.Accidental Release Measures

Personal Precautions

Take off dirty clothes and wash them or have them dry-cleaned before wearing again. Environment Precautions Do not exposure to sewers and watercourses.

- Methods for Cleaning Up
  - If spilled, wipe up with paper or cloth.

Product Name : RICOH Garment Ink Cartridge Cyan Ri 1000 Type G1 SDS Number : 342553 Date Prepared : 17/04/2019 Date Modified : 17/04/2019 Output Date : 09/05/2019



7.Handling and Storage Handling **Technical Measures/Precautions** Not applicable Safe Handling Advice Keep away from heat, flame or spark. Do not dismantle cartridge. Storage **Technical Measures** Not applicable Storage Conditions Keep out of reach of children. For the sake of quality, store in dry and well-ventilated area it should not exceed 35 degrees centigrade for a long time and avoid direct sunlight. Packaging Material Not applicable Specific Use(s) The Image Formation of Printing Machine or Copier.

#### 8. Exposure Controls/Personal Protection

**Technical Measures** Use adequate ventilation. None required with intended use. **Control Parameters** USA OSHA PEL (TWA) : Not applicable ACGIH TLV (TWA) : Not applicable DFG MAK : Not applicable Personal Protection **Respiratory Protections** None required in normal use. Hand Protection Use vinyl or rubber gloves if necessary. Eye Protection Put on goggles if necessary. Skin and Body Protection Wear chemical-resistant apron or other impervious clothing if necessary. Hygiene Measures Wash hands after handling.

#### 9. Physical and Chemical Properties

Appearance		
Physical State	: Liquid	
Form	: Liquid	
Colour	: Cyan	
Odour	: Acrylic-like	
Information		
рН : <mark>8-10</mark>	Measuring Temp (degrees centigrade) : 25	
Specific Tempera	atures/Temperature Ranges at Which Changes in Physical State Occ	ur
Boiling Point (d	egrees : Not available	
centigrade)	•	
Melting Po	pint (degrees : Not available	
centigrade)		
Decomposition T centigrade)	emperature (degrees : Not available	
contagrado)		

Flash Point (degrees centigrade) Explosion Properties (degrees centigrade)

Not availableThis product is considered a nonexplosive material under normal use.

Product Name : RICOH Garment Ink Cartridge Cyan Ri 1000 Type G1 SDS Number : 342553 Date Prepared : 17/04/2019 Date Modified : 17/04/2019 OutputDate : 09/05/2019

# **RICOH**

Vapor Pressure (Pa)	Not available	
Vapor	Not available	
Density(AIR=1) Density (g/cm3)	Approx.1.1 Measuring Temp (degrees centigrade) : 23	
Solubility Water Solubility (g/ Octanol/Water Partitio Not available Other Information		
Flammability Viscosity (Pa∙s) Volatile (%)	Not flammableApprox.0.011Measuring Temp (degrees centigrade) :2545-75	

10.Stability and Reactivity Stability Stable Hazardous Reaction There is no significant hazardous reaction expected with intended use. Conditions to Avoid Not applicable in normal use. Materials to Avoid Not applicable in normal use. Hazardous Decomposition Products Decomposition products will not occur.

### 11.Toxicological Information

Acute Toxicity
Acute Oral Toxicity (LD50) :
5000 or over [mg/kg] (Rat) (OECD TG 423)
Acute Dermal Toxicity :
Not available
Acute Inhalation Toxicity :
Not available
Local effects
Acute Skin Irritation(PII) :
1.0 or below (OECD TG 404)
Acute Eye Irritation :
Not available
Sensitization
Acute Allergenic Effects :
Non-skinsensitive (Mouse) (OECD429)
Specific Effects
Carcinogenicity :
This product does not contain the carcinogenic substances which are listed on NTP, IARC and
OSHA.
Mutagenicity : Negative (Ames test)
Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health.

12.Ecological Informat Mobility Persistence/Degradabilit	: No data are available on the adverse effect one environment.	
у		
Bioaccumulation	: Not available	
Ecotoxicity		
Acute Toxicity for Fish (I	LC50) : over100mg/lmg/l/96hr	
Acute Toxicity for Daphr	nia : over 100mg/lmg/l/48hr	
(EC50)		
Algae Inhibition Test	: over100mg/Img/I/72hr	
(IČ50)	<b>.</b> .	
(IC50)		

13.Disposal Consideration

General information:

Dispose of waste and residues in accordance with local authority requirements Disposal methods: Disposal recommendations are based on material as supplied. Disposal must be in accordance with

current applicable laws and regulations, and material characteristics at time of disposal. Confirm disposal procedures with local regulations. Precautions:

Not available

#### 14. Transport Information

8
: Not applicable
: Not applicable
: Not applicable
: Not applicable
: Not applicable
: Not applicable
: Not applicable
ransport Measures and conditions in quality.

### 15.Regulatory Information

Demulations
Regulations
EU Information
Information on the label (Regulation (EC) No 1272/2008)
Symbols & Indications : Not required
R-Phrase : Not required
S-Phrase : Not required
(EC) No 1907/2006 Annex XVII
This product complies with applicable rules and regulations under (EC) No 1907/2006 Annex XVII
(EC) No. 689/2008
Not regulated
US Information
Information on the label : Required
TSCA (Toxic Substances Control Act) :

This product complies with all applicable rules and regulations under TSCA. SARA Title III 313 Reportable Ingredients : Regulated California Proposition 65 : Not regulated Canada Information WHMIS Controlled product : Not a controlled product

# **RICOH**

Health ; 1, I HMIS Rating Health ; 1, I Literature Refere ANSI Z400.1 ISO 11014-1 IARC (1996) "IA	d Rating: National Fire Protection Agency (USA) Flammability ; 1, Reactivity ; 0 : The National Paint and Coating Association (USA) Flammability ; 1, Reactivity ; 0 ences : -1993
H. Muhle, B. Bel S. Takenaka an	Ilman, O. Creutzenberg, C. Dasenbrock, H. Emst, R. Kilpper, J.C. MacKenzie, P. Morrow, U. Mohr, d R. Mermelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats" ad Applied Toxicology 17, pp 280-299
IARC (2008) "I	ARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans,
Vol.93"	
	ENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation for Exposure to Titanium Dioxide DRAFT"
ACGIH-TLV	: Threshold Limit Values for Chemical Substances and Physical Agents and
AGGINFTEV	Biological Exposure Indices
OSHA Z-Tabl	<b>o</b> 1
NTP (USA)	: US Department of Health and Human Services National Toxicology
	Program Annual Report on Carcinogens
DFG-MAK	DFG List of MAK and BAT Value
Symbol (EC) 91/155/ EEC	: Regulation (EC) No 1272/2008 : EU Directive 91/155/ EEC
(EC) No 1907/	
Annex XVII	
(EC) No. 689/2	2008 : Regulation (EC) No 689/2008
WHMIS Contro	blled : Canada Workplace Hazardous Information System
product	
OELs-TWA (A	ustralia) : Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC: 3008 (1995)]
Abbreviations :	
OSHA PEL ACGIH-TLV	PEL (Permissible Exposure Limit) under Occupational Safety and Health Act TLV (Threshold Limit Values) under American Conference of Governmental Industrial
REACH	Hygienists (EC)No.1907/2006:Council Regulation concerning the Registration, Evaluation,
REAGIN	Authorization and Restriction of Chemicals
SVHC	Substances of Very High Concern
ECHA	The European Chemicals Agency
DFG-MAK	MAK (Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft
RoHS	Restriction of the use of certain Hazardous Substances in Electrical and Electronic Equipment
TWA	Time Weighted Average
	International Agency for Research on Cancer
NTP WHMIS	National Toxicology Program Workplace Hazardous Information System
NOHSC	National Occupational Health and Safety Commission Act 1985
Disclaimer :	Reachar Socupational Fredarit and Odroty Commission Act 1905
	on is furnished without warranty, express or implied, except that it is accurate to the best
	RICOH COMPANY, LTD.
	to the specific material designated herein, and does not relate to use in combination with
	erial or process.
RICOH COMP	ANY LTD assumes no legal responsibility for use or reliance upon this information

RICOH COMPANY, LTD assumes no legal responsibility for use or reliance upon this information.

Product Name : RICOH Garment Ink Cartridge Magenta Ri 1000 Type G1 SDS Number : 342554 Date Prepared : 17/04/2019 Date Modified : 17/04/2019 Date : 09/05/2019

## RICOH

### Safety Data Sheet (ISO form)

### 1. Product and Company Identification

Product Name General Use SDS Number	:RICOH Garment Ink Cartridge Magenta Ri 1000 Type G1 :The Image Formation of Printing Machine :342554
Company Name	: Ricoh Company,Ltd.
Department	:Product Safety Engineering Department, Safety and Environmental
	Engineering Center, Quality Management Division
Address	:146-1 Nishisawada, Numazu-shi, Shizuoka-ken, 410-0007, Japan
Telephone Number	:055-920-1470, Japan
Telefax Number	:055-920-1479, Japan
E-mail	:msdsinfo@nts.ricoh.co.jp

#### 2.Composition/Information on Ingredients

#### Substance or Preparation

#### Preparation Chemical Nature

Ingredients	Chemical Formula	CAS.No.	Contents(%)
Ethylene glycol	C2H6O2	107-21-1	1-10
Additive agents	Confidential	cinfidential	<5
Humectant	Confidential	Confidential	30-40
Water	H2O	7732-18-5	60-80

This product does not contain any of the following substances as ingredients.

Cadmium, Hexavalent Chromium, Mercury, Lead, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), SVHC (substances of very high concern: published by ECHA).

And if it contains any impurities, it does not exceed any of the thresholds of RoHS.

#### **3.Hazards Identification**

The Most Important Hazards

Adverse Human Health Effects

There are no significant hazards expected with intended use. **Environmental Effects** 

There are no significant hazards expected with intended use. Physical and Chemical Hazards

There are no significant hazards expected with intended use. Specific Hazards

There are no significant hazards expected with intended use.

Product Name : RICOH Garment Ink Cartridge Magenta Ri 1000 Type G1 SDS Number : 342554 Date Prepared : 17/04/2019 Date Modified : 17/04 2019 OutputDate : 09/05/2019

# **RICOH**

Main Symptoms Acute Inhalation Toxicity	
Under normal use conditions, there is no possibility to inhale the particle of ink.	
Acute Oral Toxicity	
Low acute toxicity in animal experiment.	
Acute Eye Irritation	
May be non-irritant.	
Acute Skin Irritation	
May be non-irritant.	
Sensitization	
From test no apparent significant hazards are expected.	
Chronic Effect	
Under normal use conditions, there is no possibility to inhale the particle of ink.	
Carcinogenicity	
This product does not contain the substances classified as carcinogenic by NTP, IARC or OSHA.	
The Classification of The Chemical Product	
This preparation is not classified as dangerous according to Regulation (EC) No 1272/2008.	
4.First-Aid Measures	
Inhalation	
Remove from exposure into fresh air if symptoms are experienced. Seek medical advice.	
Skin Contact	
Wash thoroughly with soapy water.	
Eye Contact	
Flush with a large amount of water until particles are removed. Seek medical advice.	
Ingestion	
If swallowed, rinse mouth, do not induce vomiting. / If necessary, seek medical advice.	
Notes to a physician	
Not applicable	
5.Fire-Fighting Measures	
Extinguishing Media	
CO2, dry chemicals, foam or water.	
Extinguishing Media to Avoid	
Not applicable.	
Specific Hazards	
Not applicable	
Specific Method	

No special fire protecting method is required. Sprinkling or fire extinguishers can be used.

### Protection of Fire-fighters

Wear gloves, glasses, a mask if necessary.

### 6.Accidental Release Measures

Personal Precautions

\_\_\_\_\_

Take off dirty clothes and wash them or have them dry-cleaned before wearing again. Environment Precautions Do not exposure to sewers and watercourses.

- Methods for Cleaning Up
  - If spilled, wipe up with paper or cloth.

Product Name : RICOH Garment Ink Cartridge Magenta Ri 1000 Type G1 SDS Number : 342554 Date Prepared : 17/04/2019 Date Modified : 17/04/2019 Output Date : 09/05/2019

# **RICOH**

7.Handling and Storage Handling **Technical Measures/Precautions** Not applicable Safe Handling Advice Keep away from heat, flame or spark. Do not dismantle cartridge. Storage **Technical Measures** Not applicable Storage Conditions Keep out of reach of children. For the sake of quality, store in dry and well-ventilated area it should not exceed 35 degrees centigrade for a long time and avoid direct sunlight. Packaging Material Not applicable Specific Use(s) The Image Formation of Printing Machine or Copier.

#### 8. Exposure Controls/Personal Protection

**Technical Measures** Use adequate ventilation. **Control Parameters** USA OSHA PEL (TWA) : Not applicable ACGIH TLV (TWA) : Not applicable DFG MAK : Not applicable Personal Protection **Respiratory Protections** None required in normal use. Hand Protection Use vinyl or rubber gloves if necessary. Eye Protection Put on goggles if necessary. Skin and Body Protection Wear chemical-resistant apron or other impervious clothing if necessary. Hygiene Measures Wash hands after handling.

#### 9. Physical and Chemical Properties

Appearance	
Physical State	: Liquid
Form	: Liquid
Colour	: Magenta
Odour	: acrylic-like
Information	
рН: <mark>8-10</mark>	Measuring Temp (degrees centigrade) : 25
Specific Tempera	atures/Temperature Ranges at Which Changes in Physical State Occur
Boiling Point (d	egrees : Not available
centigrade)	
Melting Po	oint (degrees : Not available
centigrade)	
Decomposition T centigrade)	emperature (degrees : Not available
5	

Flash Point (degrees centigrade) Explosion Properties (degrees centigrade)

Not availableThis product is considered a nonexplosive material under normal use.

Vapor Pressure (Pa)	Not available
Vapor Depoity(AIR=1)	Not available
Density(AIR=1) Density (g/cm3)	Approx.1.1 Measuring Temp (degrees centigrade) : 23
Solubility Water Solubility (g Octanol/Water Partit Not available Other Information	
Flammability Viscosity (Pa·s) Volatile (%)	: Not flammable : Approx.0.011 Measuring Temp (degrees centigrade) :25 : 60-80

10.Stability and Reactivity Stability Stable Hazardous Reaction There is no significant hazardous reaction expected with intended use. Conditions to Avoid Not applicable in normal use. Materials to Avoid Not applicable in normal use. Hazardous Decomposition Products Decomposition products will not occur.

### 11.Toxicological Information

Acute Toxicity
Acute Oral Toxicity (LD50) :
5000 or over [mg/kg] (Rat) (OECD TG423)
Acute Dermal Toxicity :
Not available
Acute Inhalation Toxicity :
Not available
Local effects
Acute Skin Irritation(PII) :
1.0 or below (Rabbit) (OECD TG404)
Acute Eye Irritation :
Not available
Sensitization
Acute Allergenic Effects :
Non-skinsensitive (Mouse) (OECD TG429)
Specific Effects
Carcinogenicity :
This product does not contain the carcinogenic substances which are listed on NTP, IARC and
OSHA.
Mutagenicity : Negative (Ames test)
Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health.



12.Ecological Informat Mobility Persistence/Degradabilit	: No dat	a are available on the adverse effect one environment. ailable
<u>у</u>		
Bioaccumulation	: Not av	ailable
Ecotoxicity		
Acute Toxicity for Fish (	LC50)	: over100mg/l/96hrmg/l/96hr
Acute Toxicity for Daphnia		: over 100mg/l/48hrmg/l/48hr
(EC50)		
Algae Inhibition Test		: over100mg/I/72hrmg/I/72hr
(IC50)		
( )		

13.Disposal Consideration

General information:

Dispose of waste and residues in accordance with local authority requirements Disposal methods: Disposal recommendations are based on material as supplied. Disposal must be in accordance with

current applicable laws and regulations, and material characteristics at time of disposal. Confirm disposal procedures with local regulations.

Precautions:

### 14. Transport Information

i in ranoport in onna	
International Regulation	S
Land Transport	
RID/ADR	: Not applicable
DOT 49 CFR	: Not applicable
ADNR	: Not applicable
Sea Transport	
IMDG Code	: Not applicable
Air Transport	
ICAO-TI/IATA-DGR	: Not applicable
The UN Classification	: Not applicable
Number	
Class	: Not applicable
Specific Precautionary 1	ransport Measures and conditions
Avoid direct sunlight	

#### 15.Regulatory Information

Regulations
EU Information
Information on the label (Regulation (EC) No 1272/2008)
Symbols & Indications : Not required
R-Phrase : Not required
S-Phrase : Not required
(EC) No 1907/2006 Annex XVII
This product complies with applicable rules and regulations under (EC) No 1907/2006 Annex XVII
(EC) No. 689/2008
Not regulated
US Information
Information on the label : Required
TSCA (Toxic Substances Control Act) :

This product complies with all applicable rules and regulations under TSCA. SARA Title III 313 Reportable Ingredients : Regulated California Proposition 65 : Not regulated Canada Information WHMIS Controlled product : Not a controlled product

## RICOH

16. Other Information NFPA Hazard Rating: National Fire Protection Agency (USA) Health ; 1, Flammability ; 1, Reactivity ; 0 HMIS Rating : The National Paint and Coating Association (USA) Health; 1, Flammability; 1, Reactivity; 0 Literature References : ANSI Z400.1-1993 ISO 11014-1 IARC (1996) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.65, Printing Process and Printing Inks, Carbon Black and Some Nitro Compounds", Lyon, pp149-261 H. Muhle, B. Bellman, O. Creutzenberg, C. Dasenbrock, H. Emst, R. Kilpper, J.C. MacKenzie, P. Morrow, U. Mohr, S. Takenaka and R. Mermelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats" Fundamental and Applied Toxicology 17, pp 280-299 IARC (2008) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.93" NIOSH CURRENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation for Occupational Exposure to Titanium Dioxide DRAFT" ACGIH-TLV : Threshold Limit Values for Chemical Substances and Physical Agents and **Biological Exposure Indices OSHA** Z-Tables : US Department of Labor, 29CFR Part 1910, Tables Z-1, Z-2, and Z-3 NTP (USA) : US Department of Health and Human Services National Toxicology **Program Annual Report on Carcinogens** DFG-MAK DFG List of MAK and BAT Value Symbol (EC) : Regulation (EC) No 1272/2008 91/155/ EEC : EU Directive 91/155/ EEC (EC) No 1907/2006 : Regulation (EC) No 1907/2006 Annex XVII Annex XVII (EC) No. 689/2008 : Regulation (EC) No 689/2008 WHMIS Controlled : Canada Workplace Hazardous Information System product : Guidance Note on the Interpretation of Exposure Standards for **OELs-TWA** (Australia) Atmospheric Contaminants in the Occupational Environment [NOHSC: 3008 (1995)] Abbreviations : OSHA PEL PEL (Permissible Exposure Limit) under Occupational Safety and Health Act ACGIH-TLV TLV (Threshold Limit Values) under American Conference of Governmental Industrial Hvaienists REACH (EC)No.1907/2006:Council Regulation concerning the Registration, Evaluation, Authorization and Restriction of Chemicals SVHC Substances of Very High Concern ECHA The European Chemicals Agency DFG-MAK MAK (Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft Restriction of the use of certain Hazardous Substances in Electrical and Electronic RoHS Equipment TWA Time Weighted Average IARC International Agency for Research on Cancer NTP National Toxicology Program WHMIS Workplace Hazardous Information System NOHSC National Occupational Health and Safety Commission Act 1985 Disclaimer : This information is furnished without warranty, express or implied, except that it is accurate to the best knowledge of RICOH COMPANY, LTD. It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

RICOH COMPANY, LTD assumes no legal responsibility for use or reliance upon this information.

Product Name : RICOH Garment Ink Cartridge Yellow Ri 1000 Type G1 SDS Number : 342555 Date Prepared : 17/04/2019 Date Modified : 17/04/2019 Date : 09/05/2019

## RICOH

### Safety Data Sheet (ISO form)

#### 1. Product and Company Identification

Product Name General Use SDS Number Company Name	:RICOH Garment Ink Cartridge Yellow Ri 1000 Type G1 :The image formation of printing machine :342555 : Ricoh Company,Ltd.
Department	:Product Safety Engineering Department, Safety and Environmental
	Engineering Center, Quality Management Division
Address	:146-1 Nishisawada, Numazu-shi, Shizuoka-ken, 410-0007, Japan
Telephone Number	:055-920-1470, Japan
Telefax Number	:055-920-1479, Japan
E-mail	:msdsinfo@nts.ricoh.co.jp

#### 2.Composition/Information on Ingredients Substance or Preparation

#### Chemical Nature

Ingredients	Chemical Formula	CAS.No.	Contents(%)
Ethylene glycol	C2H6O2	107-21-1	1-10
Additive agents	Confidential	Confidential	<5
Humectant	Confidential	Confidential	20-30
2-Pyrrolidone	C4H7NO	616-45-5	1-5
Water		7732-18-5	60-80

This product does not contain any of the following substances as ingredients.

Cadmium, Hexavalent Chromium, Mercury, Lead, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), SVHC (substances of very high concern: published by ECHA).

And if it contains any impurities, it does not exceed any of the thresholds of RoHS.

#### **3.Hazards Identification**

The Most Important Hazards

Adverse Human Health Effects

There are no significant hazards expected with intended use.

Environmental Effects

There are no significant hazards expected with intended use. Physical and Chemical Hazards

There are no significant hazards expected with intended use. Specific Hazards

There are no significant hazards expected with intended use.

Product Name : RICOH Garment Ink Cartridge Yellow Ri 1000 Type G1 SDS Number : 342555 Date Prepared : 17/04/2019 Date Modified : 17/04 2019 OutputDate : 09/05/2019

## **RICOH**

Main Symptoms	
Acute Inhalation Toxicity	
Under normal use conditions, there is no possibility to inhale the particle of ink. Acute Oral Toxicity	
Low acute toxicity in animal experiment.	
Acute Eye Irritation	
May be non-irritant.	
Acute Skin Irritation	
May be non-irritant.	
Sensitization	
From test no apparent significant hazards are expected.	
Chronic Effect	
normal use conditiona, there is no possiblity to inhale the particle of ink.	
Carcinogenicity	
This product does not contain the substances classified as carcinogenic by NTP, IARC or OSHA.	
The Classification of The Chemical Product	
This preparation is not classified as dangerous according to Regulation (EC) No 1272/2008.	
4.First-Aid Measures	
Inhalation	
Remove from exposure into fresh air if symptoms are experienced. Seek medical advice.	
Skin Contact	
Wash thoroughly with soapy water.	
Eye Contact	
Flush with a large amount of water until particles are removed. Seek medical advice.	
Ingestion	
If swallowed, rinse mouth, do not induce vomiting. / If necessary, seek medical advice.	
Notes to a physician	
Not applicable	
5.Fire-Fighting Measures	
Extinguishing Media	
CO2, dry chemicals, foam or water.	
Extinguishing Media to Avoid	
Not applicable	
Specific Hazards	
Not applicable	
Specific Method	

No special fire protecting method is required. Sprinkling or fire extinguishers can be used.

### Protection of Fire-fighters

Wear globves, glasses, s mask if nedessary.

### 6.Accidental Release Measures

Personal Precautions Take off contaminated clothing and launder or dry-clean before wear again. Environment Precautions Do not flush into sewers or watercourses. Methods for Cleaning Up When spilt, wipe off with paper or cloth. Product Name : RICOH Garment Ink Cartridge Yellow Ri 1000 Type G1 SDS Number : 342555 Date Prepared : 17/04/2019 Date Modified : 17/04/2019 Output Date : 09/05/2019

# RICOH

7.Handling and Storage Handling **Technical Measures/Precautions** Not applicable Safe Handling Advice Keep away from heat, flame or spark. Do not dismantle cartridge. Storage **Technical Measures** Not applicable Storage Conditions Keep out of reach of children. For the sake of quality, store in dry and well-ventilated area it should not exceed 35 degrees centigrade for a long time and avoid direct sunlight. Packaging Material Not applicable Specific Use(s) The Image Formation of Printing Machine or Copier.

#### 8. Exposure Controls/Personal Protection

**Technical Measures** Use adequate ventilation. None required with intended use. **Control Parameters** USA OSHA PEL (TWA) : Not applicable ACGIH TLV (TWA) : Not applicable DFG MAK : Not applicable Personal Protection **Respiratory Protections** None required in normal use. Hand Protection Use vinyl or rubber gloves if necessary. Eye Protection Put on goggles if necessary. Skin and Body Protection Wear chemical-resistant apron or other impervious clothing if necessary. Hygiene Measures Wash hands after handling.

#### 9. Physical and Chemical Properties

Appearance		
Physical State	: Liquid	
Form	: Liquid	
Colour	: Yellow	
Odour	: acrylic-like	
Information		
рН: <mark>8-10</mark>	Measuring Temp (degrees	s centigrade) : 25
Specific Tempera	atures/Temperature Ranges at	Which Changes in Physical State Occur
Boiling Point (d	egrees : Not availa	able
centigrade)	-	
Melting Po	oint (degrees : Not availa	able
centigrade)		
Decomposition T centigrade)	emperature (degrees	: Not available
<b>e</b> ,		

Flash Point (degrees centigrade) Explosion Properties (degrees centigrade)

Not availableThis product is considered a nonexplosive material under normal use.

Product Name : RICOH Garment Ink Cartridge Yellow Ri 1000 Type G1 SDS Number : 342555 Date Prepared : 17/04/2019 Date Modified : 17/04/2019 OutputDate : 09/05/2019

# **RICOH**

Vapor Pressure (Pa)	Not available	
Vapor Donsity(AIR=1)	Not available	
Density(AIR=1) Density (g/cm3)	: 1.1I	Measuring Temp (degrees centigrade) :
Solubility Water Solubility (g/L) : dispersible Octanol/Water Partition Coefficient Not available Not available		
Other Information Flammability Viscosity (Pa·s) Volatile (%)	: Not flammable : Approx.0.011 : 60-80	Measuring Temp (degrees centigrade) :25

10.Stability and Reactivity Stability Stable Hazardous Reaction There is no significant hazardous reaction expected with intended use. Conditions to Avoid Not applicable in normal use. Materials to Avoid Not applicable in normal use. Hazardous Decomposition Products

#### 11.Toxicological Information

Acute Toxicity Acute Oral Toxicity (LD50) : 5000 or over [mg/kg] (Rat) (OECD TG423) Acute Dermal Toxicity : Not available Acute Inhalation Toxicity : Not available Local effects Acute Skin Irritation(PII) : 1.0 or below (Rabbit) (OECD TG404) Acute Eye Irritation : Not available Sensitization Acute Allergenic Effects : Non-skinsensitive (Mouse) (OECD TG429) Specific Effects Carcinogenicity : This product does not contain the carcinogenic substances which are listed in IARC. Mutagenicity : Negative (Ames test) Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health.



12.Ecological Informat Mobility Persistence/Degradabilit	: No data are available on the adverse effect one environment.	
у		
Bioaccumulation	: Not available	
Ecotoxicity		
Acute Toxicity for Fish (	LC50) : over100mg/lmg/l/96hr	
Acute Toxicity for Daphi	nia : over 100mg/lmg/l/48hr	
(EC50)		
Algae Inhibition Test	: over100mg/Img/I/72hr	
(IC50)	5 5	

13.Disposal Consideration

General information:

Dispose of waste and residues in accordance with local authority requirements Disposal methods: Disposal recommendations are based on material as supplied. Disposal must be in accordance with

current applicable laws and regulations, and material characteristics at time of disposal. Confirm disposal procedures with local regulations.

Precautions:

Not available

#### 14. Transport Information

	-	
International Regulation	S	
Land Transport		
RID/ADR	: Not applicable	
DOT 49 CFR	: Not applicable	
ADNR	: Not applicable	
Sea Transport		
IMDG Code	: Not applicable	
Air Transport		
ICAO-TI/IATA-DGR	: Not applicable	
The UN Classification	: Not applicable	
Number		
Class	: Not applicable	
Specific Precautionary Transport Measures and conditions Avoid direct sunlight in quality.		

### 15.Regulatory Information

Demulations
Regulations
EU Information
Information on the label (Regulation (EC) No 1272/2008)
Symbols & Indications : Not required
R-Phrase : Not required
S-Phrase : Not required
(EC) No 1907/2006 Annex XVII
This product complies with applicable rules and regulations under (EC) No 1907/2006 Annex XVII
(EC) No. 689/2008
Not regulated
US Information
Information on the label : Required
TSCA (Toxic Substances Control Act) :

This product complies with all applicable rules and regulations under TSCA. SARA Title III 313 Reportable Ingredients : Regulated California Proposition 65 : Not regulated Canada Information WHMIS Controlled product : Not a controlled product

# **RICOH**

<ul> <li>16.Other Information NFPA Hazard Rating: National Fire Protection Agency (USA) Health ; 1, Flammability ; 1, Reactivity ; 0 HMIS Rating : The National Paint and Coating Association (USA) Health ; 1, Flammability ; 1, Reactivity ; 0 Literature References : ANSI Z400.1-1993 ISO 11014-1 IARC (1996) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.65, Printing Process and Printing Inks, Carbon Black and Some Nitro Compounds", Lyon, pp149-261</li></ul>		
H. Muhle, B. Bellman, O. Creutzenberg, C. Dasenbrock, H. Emst, R. Kilpper, J.C. MacKenzie, P. Morrow, U. Mohr, S. Takenaka and R. Mermelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats" Fundamental and Applied Toxicology 17, pp 280-299		
IARC (2008) "	IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans,	
Vol.93"		
	ENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation for	
•	Exposure to Titanium Dioxide DRAFT"	
ACGIH-TLV	<ul> <li>Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices</li> </ul>	
OSHA Z-Tab	<b>6</b> 1	
NTP (USA)	: US Department of Health and Human Services National Toxicology	
	Program Annual Report on Carcinogens	
DFG-MAK	DFG List of MAK and BAT Value	
Symbol (EC)	: Regulation (EC) No 1272/2008	
91/155/ EEC	: EU Directive 91/155/ EEC	
(EC) No 1907/ Annex XVII	/2006 : Regulation (EC) No 1907/2006 Annex XVII	
(EC) No. 689/2	2008 Regulation (EC) No 689/2008	
WHMIS Contro		
product		
OELs-TWA (A	<ul> <li>Sustralia) : Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC: 3008 (1995)]</li> </ul>	
Abbreviations :		
OSHA PEL	PEL (Permissible Exposure Limit) under Occupational Safety and Health Act	
ACGIH-TLV	TLV (Threshold Limit Values) under American Conference of Governmental Industrial	
	Hygienists	
REACH	(EC)No.1907/2006:Council Regulation concerning the Registration, Evaluation, Authorization and Restriction of Chemicals	
SVHC	Substances of Very High Concern	
ECHA	The European Chemicals Agency	
DFG-MAK	MAK (Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft	
RoHS	Restriction of the use of certain Hazardous Substances in Electrical and Electronic	
	Equipment	
TWA	Time Weighted Average	
IARC	International Agency for Research on Cancer	
NTP	National Toxicology Program	
WHMIS	Workplace Hazardous Information System	
NOHSC	National Occupational Health and Safety Commission Act 1985	
Disclaimer :	on is furnished without warranty, express or implied, except that it is accurate to the best	
	RICOH COMPANY, LTD.	
	to the specific material designated herein, and does not relate to use in combination with	
any other material or process.		
	PANY I TD assumes no legal responsibility for use or reliance upon this information	

RICOH COMPANY, LTD assumes no legal responsibility for use or reliance upon this information.