

EMBLEM STAR Victory Vinyl

EMBLEM SFOMPOXV is a special coated, calendered PVC-Film for digital printing with waterbased inks. The film is coated with a micro porous inkjet coating.

Matchcode:	SFOMPOXV
Material:	PVC-Film, monomeric self-adhesive, micro porous coating
Finish:	matt
Colour:	white
Thickness:	100 µm
Liner:	PE-coated Paper
Adhesive:	Polyacrylic, semipermanent
Adhesion	6 N / 25mm (AFERA)
Lamination	Cold
Application temperature	>15°C
Standard roll width:	24" / 36" / 42" / 50" / 54" / 60"
Standard roll length:	30 Meters
Flame retardant:	yes, acc. DIN 4201-B1

COMPATIBLE INKS:

Dye:	yes
Pigment:	yes

Different printers, inks, resolutions and printing qualities result into numerous different printing parameters. In addition, there are numerous factors influencing processing and the application of our materials. For this reason, we cannot make specific statements as to drying times and maximum ink absorption. For this reason, we recommend you to perform own tests in order to verify the desired results. Our product specifications are not to be understood as legally binding guarantees assuring specific characteristics. Any liabilities and guarantees, as well as claims for compensation beyond the value of the product itself are excluded.

EMBLEM STAR Victory Vinyl

Description:

EMBLEM SFOMPOXV is a special coated, calendered PVC-Film for digital printing with waterbased inks. The film is coated with a micro porous inkjet coating.

The main field of application is the production of self-adhesive prints for indoor and outdoor advertisements.

All inks, apart from dye based inks, achieve water-resistant prints. We advice the user to laminate every print for outside use, to protect it from abrasion. Prints which have been produced with pigmented inks are smear- and water-resistant up to one year.

Processing:

Every print which has been produced with dye-based ink has to be laminated to protect it against gas-fading.

It is possible to laminate SFOMPOXV without edge-protection by using EMBLEM lamination. Professional handling eliminates the risk of intruding of water by the edges for more than 3-5mm.

Before lamination the print has to be completely dry, otherwise there is the risk of of lumps. The use of high ink-limits may cause clouding and longer drying times.

To avoid fingerprints the use of cotton-gloves is advisable.

Application:

The main field of application is the production of self-adhesive prints for indoor and outdoor advertisements.