

ROLLSROLLER®
FLATBED APPLICATOR



KEY FEATURES

- Signature model – Gives you access to the superior ROLLSROLLER production method
- Low cost - fast set up - easy to handle - GREAT VALUE
- ROLLSROLLER quality
- Ergonomic traverse ROLLSROLLER
- Lots of space for storage
- Optimized media holder on bed end.

ROLLSROLLER SIGNATURE is our newest member that gives you access to the ROLLSROLLER production method.

It comes flat packed for access to any sign shop environment.

With a low investment cost, quick installation and easy operation, it gives you all the conditions to produce quality products and profitable sign making for many years. The optimized media holder on the bed end allows the operator to facilitate all four sides of the table and also for storage of vinyl etc.



info@rollroller.se
rollroller.se
+46 54 770 70 10

ROLLSROLLER®

SIGNATURE 120/100S

MODEL NAME	ROLLSROLLER 120/100S
Part No.	122-001
Model type	Signature
Flatbed Length	1240 mm / 4 ft. 0,8 in.
Flatbed Width	1000 mm / 3 ft. 3,4 in.
Length of working area	940 mm / 3 ft. 1 in.
Width of working area (Roller width)	930 mm / 3 ft. 0,6 in.
Work height Flatbed	875 mm / 2 ft. 10,4 in.
Overall width incl. mounted Glide Beam	1270 mm / 4 ft. 2 in.
Overall height incl. mounted Glide Beam	1335 mm / 4 ft. 4,6 in.
Weight Flatbed Applicator	
Flatbed surface	Tempered glass + Cutting Mat
Electrical Voltage	110-250VAC, 50-60Hz
Required air supply	6-8 bar / 87-116 psi
Set pressure during operation	3-5 bar / 43,5-72,5 psi
Packing weight (Flatbed Applicator + package)	
Package Flatbed Applicator (LxWxH)	
Wheels	Yes (4)
Warranty	5 year limited warranty *
User Manual	ENG


* Visit rollroller.com/our-products/warranty/ for more information



KEY FEATURES

- Signature model – Gives you access to the superior ROLLSROLLER production method
- Low cost - fast set up - easy to handle - GREAT VALUE
- ROLLSROLLER quality
- Ergonomic traverse ROLLSROLLER
- Lots of space for storage
- Optimized media holder on bed end.

ROLLSROLLER SIGNATURE is our newest member that gives you access to the ROLLSROLLER production method. It comes flat packed for access to any sign shop environment. With a low investment cost, quick installation and easy operation, it gives you all the conditions to produce quality products and profitable sign making for many years. The optimized media holder on the bed end allows the operator to facilitate all four sides of the table and also for storage of vinyl etc



info@rollsroller.se
rollsroller.se
+46 54 770 70 10

ROLLSROLLER®

SIGNATURE 300/147S

MODEL NAME	ROLLSROLLER 300/147S
Part No.	122-002
Model type	Signature
Flatbed Length	3040 mm / 9 ft. 11,7 in.
Flatbed Width	1470 mm / 4 ft. 9,9 in.
Length of working area	2740 mm / 8 ft. 11,9 in.
Width of working area (Roller width)	1400 mm / 4 ft. 7,1 in.
Work height Flatbed	875 mm / 2 ft. 10,4 in.
Overall width incl. mounted Glide Beam	1740 mm / 5 ft. 8,5 in.
Overall height incl. mounted Glide Beam	1335 mm / 4 ft. 4,6 in.
Weight Flatbed Applicator	
Flatbed surface	Tempered glass + Cutting Mat
Electrical Voltage	110-250VAC, 50-60Hz
Required air supply	6-8 bar / 87-116 psi
Set pressure during operation	3-5 bar / 43,5-72,5 psi
Packing weight (Flatbed Applicator + package)	
Package Flatbed Applicator (LxWxH)	
Wheels	Yes (4)
Warranty	5 year limited warranty *
User Manual	ENG

* Visit rollsroller.com/our-products/warranty/ for more information



KEY FEATURES

- Signature model – Gives you access to the superior ROLLSSROLLER production method
- Low cost - fast set up - easy to handle - GREAT VALUE
- ROLLSSROLLER quality
- Ergonomic traverse ROLLSSROLLER
- Lots of space for storage
- Optimized media holder on bed end.

ROLLSSROLLER SIGNATURE is our newest member that gives you access to the ROLLSSROLLER production method.

It comes flat packed for access to any sign shop environment.

With a low investment cost, quick installation and easy operation, it gives you all the conditions to produce quality products and profitable sign making for many years. The optimized media holder on the bed end allows the operator to facilitate all four sides of the table and also for storage of vinyl etc.



info@rollsroller.se
rollsroller.se
+46 54 770 70 10

ROLLSSROLLER®

SIGNATURE 300/170S

MODEL NAME	ROLLSSROLLER 300/170S
Part No.	122-003
Model type	Signature
Flatbed Length	3040 mm / 9 ft. 11,7 in.
Flatbed Width	1700 mm / 5 ft. 6,9 in.
Length of working area	2740 mm / 8 ft. 11,9 in.
Width of working area (Roller width)	1630 mm / 5 ft. 4,2 in.
Work height Flatbed	875 mm / 2 ft. 10,4 in.
Overall width incl. mounted Glide Beam	1970 mm / 6 ft. 5,6 in.
Overall height incl. mounted Glide Beam	1335 mm / 4 ft. 4,6 in.
Weight Flatbed Applicator	
Flatbed surface	Tempered glass + Cutting Mat
Electrical Voltage	110-250VAC, 50-60Hz
Required air supply	6-8 bar / 87-116 psi
Set pressure during operation	3-5 bar / 43,5-72,5 psi
Packing weight (Flatbed Applicator + package)	
Package Flatbed Applicator (LxWxH)	
Wheels	Yes (4)
Warranty	5 year limited warranty *
User Manual	ENG

* Visit rollsroller.com/our-products/warranty/ for more information




KEY FEATURES

- Signature model – Gives you access to the superior ROLLSROLLER production method
- Low cost - fast set up - easy to handle - GREAT VALUE
- ROLLSROLLER quality
- Ergonomic traverse ROLLSROLLER
- Lots of space for storage
- Optimized media holder on bed end.

ROLLSROLLER SIGNATURE is our newest member that gives you access to the ROLLSROLLER production method.

It comes flat packed for access to any sign shop environment.

With a low investment cost, quick installation and easy operation, it gives you all the conditions to produce quality products and profitable sign making for many years. The optimized media holder on the bed end allows the operator to facilitate all four sides of the table and also for storage of vinyl etc.



info@rollsroller.se
rollsroller.se
+46 54 770 70 10

ROLLSROLLER®

SIGNATURE 360/147S

MODEL NAME	ROLLSROLLER 360/147S
Part No.	122-004
Model type	Signature
Flatbed Length	3640 mm / 11 ft. 11,3 in.
Flatbed Width	1470 mm / 4 ft. 9,9 in.
Length of working area	3340 mm / 10 ft. 11,5 in.
Width of working area (Roller width)	1400 mm / 4 ft. 7,1 in.
Work height Flatbed	875 mm / 2 ft. 10,4 in.
Overall width incl. mounted Glide Beam	1740 mm / 5 ft. 8,5 in.
Overall height incl. mounted Glide Beam	1335 mm / 4 ft. 4,6 in.
Weight Flatbed Applicator	
Flatbed surface	Tempered glass + Cutting Mat
Electrical Voltage	110-250VAC, 50-60Hz
Required air supply	6-8 bar / 87-116 psi
Set pressure during operation	3-5 bar / 43,5-72,5 psi
Packing weight (Flatbed Applicator + package)	
Package Flatbed Applicator (LxWxH)	
Wheels	Yes (4)
Warranty	5 year limited warranty *
User Manual	ENG

* Visit rollsroller.com/our-products/warranty/ for more information



KEY FEATURES

- Signature model – Gives you access to the superior ROLLSSROLLER production method
- Low cost - fast set up - easy to handle - GREAT VALUE
- ROLLSSROLLER quality
- Ergonomic traverse ROLLSSROLLER
- Lots of space for storage
- Optimized media holder on bed end.

ROLLSSROLLER SIGNATURE is our newest member that gives you access to the ROLLSSROLLER production method.

It comes flat packed for access to any sign shop environment.

With a low investment cost, quick installation and easy operation, it gives you all the conditions to produce quality products and profitable sign making for many years. The optimized media holder on the bed end allows the operator to facilitate all four sides of the table and also for storage of vinyl etc.



info@rollsroller.se
rollsroller.se
+46 54 770 70 10

ROLLSSROLLER®

SIGNATURE 360/170S

MODEL NAME	ROLLSSROLLER 360/170S
Part No.	122-005
Model type	Signature
Flatbed Length	3640 mm / 11 ft. 11,3 in.
Flatbed Width	1700 mm / 5 ft. 6,9 in.
Length of working area	3340 mm / 10 ft. 11,5 in.
Width of working area (Roller width)	1630 mm / 5 ft. 4,2 in.
Work height Flatbed	875 mm / 2 ft. 10,4 in.
Overall width incl. mounted Glide Beam	1970 mm / 6 ft. 5,6 in.
Overall height incl. mounted Glide Beam	1335 mm / 4 ft. 4,6 in.
Weight Flatbed Applicator	
Flatbed surface	Tempered glass + Cutting Mat
Electrical Voltage	110-250VAC, 50-60Hz
Required air supply	6-8 bar / 87-116 psi
Set pressure during operation	3-5 bar / 43,5-72,5 psi
Packing weight (Flatbed Applicator + package)	
Package Flatbed Applicator (LxWxH)	
Wheels	Yes (4)
Warranty	5 year limited warranty *
User Manual	ENG

* Visit rollsroller.com/our-products/warranty/ for more information



KEY FEATURES

- Signature model – Gives you access to the superior ROLLSSROLLER production method
- Low cost - fast set up - easy to handle – GREAT VALUE
- ROLLSSROLLER quality
- Ergonomic traverse ROLLSSROLLER
- Lots of space for storage
- Optimized media holder on bed end.

ROLLSSROLLER SIGNATURE is our newest member that gives you access to the ROLLSSROLLER production method.

It comes flat packed for access to any sign shop environment.

With a low investment cost, quick installation and easy operation, it gives you all the conditions to produce quality products and profitable sign making for many years. The optimized media holder on the bed end allows the operator to facilitate all four sides of the table and also for storage of vinyl etc.



info@rollssroller.se
rollssroller.se
+46 54 770 70 10

ROLLSSROLLER®

SIGNATURE 420/147S

MODEL NAME	ROLLSSROLLER 420/147S
Part No.	122-006
Model type	Signature
Flatbed Length	4240 mm / 13 ft. 10,9 in.
Flatbed Width	1470 mm / 4 ft. 9,9 in.
Length of working area	3940 mm / 12 ft. 11,1 in.
Width of working area (Roller width)	1400 mm / 4 ft. 7,1 in.
Work height Flatbed	875 mm / 2 ft. 10,4 in.
Overall width incl. mounted Glide Beam	1740 mm / 5 ft. 8,5 in.
Overall height incl. mounted Glide Beam	1335 mm / 4 ft. 4,6 in.
Weight Flatbed Applicator	
Flatbed surface	Tempered glass + Cutting Mat
Electrical Voltage	110-250VAC, 50-60Hz
Required air supply	6-8 bar / 87-116 psi
Set pressure during operation	3-5 bar / 43,5-72,5 psi
Packing weight (Flatbed Applicator + package)	
Package Flatbed Applicator (LxWxH)	
Wheels	Yes (4)
Warranty	5 year limited warranty *
User Manual	ENG

* Visit rollssroller.com/our-products/warranty/ for more information



KEY FEATURES

- Signature model – Gives you access to the superior ROLLSROLLER production method
- Low cost - fast set up - easy to handle - GREAT VALUE
- ROLLSROLLER quality
- Ergonomic traverse ROLLSROLLER
- Lots of space for storage
- Optimized media holder on bed end.

ROLLSROLLER SIGNATURE is our newest member that gives you access to the ROLLSROLLER production method.

It comes flat packed for access to any sign shop environment.

With a low investment cost, quick installation and easy operation, it gives you all the conditions to produce quality products and profitable sign making for many years. The optimized media holder on the bed end allows the operator to facilitate all four sides of the table and also for storage of vinyl etc.



info@rollroller.se
rollroller.se
+46 54 770 70 10

ROLLSROLLER®

SIGNATURE 420/170S

MODEL NAME	ROLLSROLLER 420/170S
Part No.	122-007
Model type	Signature
Flatbed Length	4240 mm / 13 ft. 10,9 in.
Flatbed Width	1700 mm / 5 ft. 6,9 in.
Length of working area	3940 mm / 12 ft. 11,1 in.
Width of working area (Roller width)	1630 mm / 5 ft. 4,2 in.
Work height Flatbed	875 mm / 2 ft. 10,4 in.
Overall width incl. mounted Glide Beam	1970 mm / 6 ft. 5,6 in.
Overall height incl. mounted Glide Beam	1335 mm / 4 ft. 4,6 in.
Weight Flatbed Applicator	
Flatbed surface	Tempered glass + Cutting Mat
Electrical Voltage	110-250VAC, 50-60Hz
Required air supply	6-8 bar / 87-116 psi
Set pressure during operation	3-5 bar / 43,5-72,5 psi
Packing weight (Flatbed Applicator + package)	
Package Flatbed Applicator (LxWxH)	
Wheels	Yes (4)
Warranty	5 year limited warranty *
User Manual	ENG

* Visit rollroller.com/our-products/warranty/ for more information