



KEY FEATURES


- Updated model with improved dimmable illumination (LED) and storage trays
- Optimized media holder on bed end.
- Integrated USB A & C ports
- Open construction allows storage underneath
- Smart electronic height adjustment for a tailored experience.
- Wide range of options
- Ergonomic traverse

ROLLSROLLER SIGNATURE Plus is our new model and the perfect match for the modern sign shop.

It offers superior ergonomics, smart useful features and a platform that will allow you to upgrade whenever you need.

With a strong welded frame of steel, dimmable Led, smart electronic height adjustment together with the new improved media holders for the short side and glide beam, the Signature Plus will become your new faithful partner for many years.

The installation is easier and quicker than ever and enables you to get started in no time!



info@rollsroller.se
rollsroller.se
+46 54 770 70 10

ROLLSROLLER®

SIGNATURE PLUS

300/170S

MODEL NAME	ROLLSROLLER 300 / 170S Plus
Part. no	122-008
Model type	Signature Plus
Flatbed Length	3040 mm / 9 ft. 11,7 in.
Flatbed Width	1700 mm / 5 ft. 6,9 in.
Length of working area	2740 mm / 8 ft. 11,9 in.
Width of working area (Roller width)	1630 mm / 5 ft. 4,2 in.
Work height Flatbed	800 - 1150 mm / 2 ft. 7,5 in. - 3 ft. 9,3 in.
Overall width incl. mounted Glide Beam	1970 mm / 6 ft. 5,6 in.
Overall height incl. mounted Glide Beam	1265 - 1615 mm / 4 ft. 1,8 in. - 5 ft. 3,6 in.
Weight Flatbed Applicator	
Flatbed surface	Tempered glass + Cutting Mat
Electrical Voltage	110-250VAC, 50-60Hz
USB Charger	3,6A-5VDC
Required air supply	6-8 bar / 87-116 psi
Set pressure during operation	3-5 bar / 43,5-72,5 psi
Packing weight (Flatbed Applicator + package)	
Package Flatbed Applicator (LxWxH)	
Wheels	Yes (4)
Illuminated LED table (dimnable)	Yes
Warranty	5 year limited warranty *
User Manual	ENG

* Visit rollsroller.com/our-products/warranty/ for more information




KEY FEATURES

- Updated model with improved dimmable illumination (LED) and storage trays
- Optimized media holder on bed end.
- Integrated USB A & C ports
- Open construction allows storage underneath
- Smart electronic height adjustment for a tailored experience.
- Wide range of options
- Ergonomic traverse

ROLLSROLLER SIGNATURE Plus is our new model and the perfect match for the modern sign shop.

It offers superior ergonomics, smart useful features and a platform that will allow you to upgrade whenever you need. With a strong welded frame of steel, dimmable Led, smart electronic height adjustment together with the new improved media holders for the short side and glide beam, the Signature Plus will become your new faithful partner for many years.

The installation is easier and quicker than ever and enables you to get started in no time!



info@rollsroller.se
rollsroller.se
+46 54 770 70 10

ROLLSROLLER®

SIGNATURE PLUS

360/170S

MODEL NAME	ROLLSROLLER 360/170S
Part No.	122-009
Model type	Signature Plus
Flatbed Length	3640 mm / 11 ft. 11,3 in.
Flatbed Width	1700 mm / 5 ft. 6,9 in.
Length of working area	3340 mm / 10 ft. 11,5 in.
Width of working area (Roller width)	1630 mm / 5 ft. 4,2 in.
Work height Flatbed	800 - 1150 mm / 2 ft. 7,5 in. - 3 ft. 9,3 in.
Overall width incl. mounted Glide Beam	1970 mm / 6 ft. 5,6 in.
Overall height incl. mounted Glide Beam	1265 - 1615 mm / 4 ft. 1,8 in. - 5 ft. 3,6 in.
Weight Flatbed Applicator	
Flatbed surface	Tempered glass + Cutting Mat
Electrical Voltage	110-250VAC, 50-60Hz
USB Charger	3,6A-5VDC
Required air supply	6-8 bar / 87-116 psi
Set pressure during operation	3-5 bar / 43,5-72,5 psi
Packing weight (Flatbed Applicator + package)	
Package Flatbed Applicator (LxWxH)	
Wheels	Yes (4)
Illuminated LED table (dimnable)	Yes
Warranty	5 year limited warranty *
User Manual	ENG

* Visit rollsroller.com/our-products/warranty/ for more information




KEY FEATURES

- Updated model with improved dimmable illumination (LED) and storage trays
- Optimized media holder on bed end.
- Integrated USB A & C ports
- Open construction allows storage underneath
- Smart electronic height adjustment for a tailored experience.
- Wide range of options
- Ergonomic traverse

ROLLSROLLER SIGNATURE Plus is our new model and the perfect match for the modern sign shop.

It offers superior ergonomics, smart useful features and a platform that will allow you to upgrade whenever you need. With a strong welded frame of steel, dimmable Led, smart electronic height adjustment together with the new improved media holders for the short side and glide beam, the Signature Plus will become your new faithful partner for many years.

The installation is easier and quicker than ever and enables you to get started in no time!



info@rollsroller.se
rollsroller.se
+46 54 770 70 10

ROLLSROLLER®

SIGNATURE PLUS

360/212S

MODEL NAME	ROLLSROLLER 360/212S
Part No.	122-010
Model type	Signature Plus
Flatbed Length	3640 mm / 11 ft. 11,3 in.
Flatbed Width	2120 mm / 6 ft. 11,5 in.
Length of working area	3340 mm / 10 ft. 11,5 in.
Width of working area (Roller width)	2050 mm / 6 ft. 8,7 in.
Work height Flatbed	800 - 1150 mm / 2 ft. 7,5 in. - 3 ft. 9,3 in.
Overall width incl. mounted Glide Beam	2390 mm / 7 ft. 10,1 in.
Overall height incl. mounted Glide Beam	1265 - 1615 mm / 4 ft. 1,8 in. - 5 ft. 3,6 in.
Weight Flatbed Applicator	
Flatbed surface	Tempered glass + Cutting Mat
Electrical Voltage	110-250VAC, 50-60Hz
USB Charger	3,6A-5VDC
Required air supply	6-8 bar / 87-116 psi
Set pressure during operation	3-5 bar / 43,5-72,5 psi
Packing weight (Flatbed Applicator + package)	
Package Flatbed Applicator (LxWxH)	
Wheels	Yes (4)
Illuminated LED table (dimnable)	Yes
Warranty	5 year limited warranty *
User Manual	ENG

* Visit rollsroller.com/our-products/warranty/ for more information




KEY FEATURES

- Updated model with improved dimmable illumination (LED) and storage trays
- Optimized media holder on bed end.
- Integrated USB A & C ports
- Open construction allows storage underneath
- Smart electronic height adjustment for a tailored experience.
- Wide range of options
- Ergonomic traverse

ROLLSROLLER SIGNATURE Plus is our new model and the perfect match for the modern sign shop.

It offers superior ergonomics, smart useful features and a platform that will allow you to upgrade whenever you need. With a strong welded frame of steel, dimmable Led, smart electronic height adjustment together with the new improved media holders for the short side and glide beam, the Signature Plus will become your new faithful partner for many years.

The installation is easier and quicker than ever and enables you to get started in no time!



info@rollsroller.se
rollsroller.se
+46 54 770 70 10

ROLLSROLLER®

SIGNATURE PLUS

420/170S

MODEL NAME	ROLLSROLLER 420/170S
Part No.	122-011
Model type	Signature Plus
Flatbed Length	4240 mm / 13 ft. 10,9 in.
Flatbed Width	1700 mm / 5 ft. 6,9 in.
Length of working area	3940 mm / 12 ft. 11,1 in.
Width of working area (Roller width)	1630 mm / 5 ft. 4,2 in.
Work height Flatbed	800 - 1150 mm / 2 ft. 7,5 in. - 3 ft. 9,3 in.
Overall width incl. mounted Glide Beam	1970 mm / 6 ft. 5,6 in.
Overall height incl. mounted Glide Beam	1265 - 1615 mm / 4 ft. 1,8 in. - 5 ft. 3,6 in.
Weight Flatbed Applicator	
Flatbed surface	Tempered glass + Cutting Mat
Electrical Voltage	110-250VAC, 50-60Hz
USB Charger	3,6A-5VDC
Required air supply	6-8 bar / 87-116 psi
Set pressure during operation	3-5 bar / 43,5-72,5 psi
Packing weight (Flatbed Applicator + package)	
Package Flatbed Applicator (LxWxH)	
Wheels	Yes (4)
Illuminated LED table (dimnable)	Yes
Warranty	5 year limited warranty *
User Manual	ENG

* Visit rollsroller.com/our-products/warranty/ for more information




KEY FEATURES

- Updated model with improved dimmable illumination (LED) and storage trays
- Optimized media holder on bed end.
- Integrated USB A & C ports
- Open construction allows storage underneath
- Smart electronic height adjustment for a tailored experience.
- Wide range of options
- Ergonomic traverse

ROLLSROLLER SIGNATURE Plus is our new model and the perfect match for the modern sign shop.

It offers superior ergonomics, smart useful features and a platform that will allow you to upgrade whenever you need. With a strong welded frame of steel, dimmable Led, smart electronic height adjustment together with the new improved media holders for the short side and glide beam, the Signature Plus will become your new faithful partner for many years.

The installation is easier and quicker than ever and enables you to get started in no time!



info@rollsroller.se
rollsroller.se
+46 54 770 70 10

ROLLSROLLER®

SIGNATURE PLUS

420/212S

MODEL NAME	ROLLSROLLER 420/212S
Part No.	122-012
Model type	Signature Plus
Flatbed Length	4240 mm / 13 ft. 10,9 in.
Flatbed Width	2120 mm / 6 ft. 11,5 in.
Length of working area	3940 mm / 12 ft. 11,1 in.
Width of working area (Roller width)	2050 mm / 6 ft. 8,7 in.
Work height Flatbed	800 - 1150 mm / 2 ft. 7,5 in. - 3 ft. 9,3 in.
Overall width incl. mounted Glide Beam	2390 mm / 7 ft. 10,1 in.
Overall height incl. mounted Glide Beam	1265 - 1615 mm / 4 ft. 1,8 in. - 5 ft. 3,6 in.
Weight Flatbed Applicator	
Flatbed surface	Tempered glass + Cutting Mat
Electrical Voltage	110-250VAC, 50-60Hz
USB Charger	3,6A-5VDC
Required air supply	6-8 bar / 87-116 psi
Set pressure during operation	3-5 bar / 43,5-72,5 psi
Packing weight (Flatbed Applicator + package)	
Package Flatbed Applicator (LxWxH)	
Wheels	Yes (4)
Illuminated LED table (dimnable)	Yes
Warranty	5 year limited warranty *
User Manual	ENG


* Visit rollsroller.com/our-products/warranty/ for more information



KEY FEATURES

- Updated model with improved dimmable illumination (LED) and storage trays
- Optimized media holder on bed end.
- Integrated USB A & C ports
- Open construction allows storage underneath
- Smart electronic height adjustment for a tailored experience.
- Wide range of options
- Ergonomic traverse

ROLLSROLLER SIGNATURE Plus is our new model and the perfect match for the modern sign shop. It offers superior ergonomics, smart useful features and a platform that will allow you to upgrade whenever you need. With a strong welded frame of steel, dimmable Led, smart electronic height adjustment together with the new improved media holders for the short side and glide beam, the Signature Plus will become your new faithful partner for many years. The installation is easier and quicker than ever and enables you to get started in no time!



info@rollsroller.se
rollsroller.se
+46 54 770 70 10

ROLLSROLLER®

SIGNATURE PLUS

540/170S

MODEL NAME	ROLLSROLLER 540/170S
Part No.	122-013
Model type	Signature Plus
Flatbed Length	5440 mm / 17 ft. 10,2 in.
Flatbed Width	1700 mm / 5 ft. 6,9 in.
Length of working area	5140 mm / 16 ft. 10,4 in.
Width of working area (Roller width)	1630 mm / 5 ft. 4,2 in.
Work height Flatbed	800 - 1150 mm / 2 ft. 7,5 in. - 3 ft. 9,3 in.
Overall width incl. mounted Glide Beam	1970 mm / 6 ft. 5,6 in.
Overall height incl. mounted Glide Beam	1265 - 1615 mm / 4 ft. 1,8 in. - 5 ft. 3,6 in.
Weight Flatbed Applicator	
Flatbed surface	Tempered glass + Cutting Mat
Electrical Voltage	110-250VAC, 50-60Hz
USB Charger	3,6A-5VDC
Required air supply	6-8 bar / 87-116 psi
Set pressure during operation	3-5 bar / 43,5-72,5 psi
Packing weight (Flatbed Applicator + package)	
Package Flatbed Applicator (LxWxH)	
Wheels	Yes (6)
Illuminated LED table (dimnable)	Yes
Warranty	5 year limited warranty *
User Manual	ENG

* Visit rollsroller.com/our-products/warranty/ for more information




KEY FEATURES

- Updated model with improved dimmable illumination (LED) and storage trays
- Optimized media holder on bed end.
- Integrated USB A & C ports
- Open construction allows storage underneath
- Smart electronic height adjustment for a tailored experience.
- Wide range of options
- Ergonomic traverse

ROLLSROLLER SIGNATURE Plus is our new model and the perfect match for the modern sign shop.

It offers superior ergonomics, smart useful features and a platform that will allow you to upgrade whenever you need. With a strong welded frame of steel, dimmable Led, smart electronic height adjustment together with the new improved media holders for the short side and glide beam, the Signature Plus will become your new faithful partner for many years.

The installation is easier and quicker than ever and enables you to get started in no time!



info@rollroller.se
rollroller.se
+46 54 770 70 10

ROLLSROLLER®

SIGNATURE PLUS

540/212S

MODEL NAME	ROLLSROLLER 540/212S
Part No.	122-014
Model type	Signature Plus
Flatbed Length	5440 mm / 17 ft. 10,2 in.
Flatbed Width	2120 mm / 6 ft. 11,5 in.
Length of working area	5140 mm / 16 ft. 10,4 in.
Width of working area (Roller width)	2050 mm / 6 ft. 8,7 in.
Work height Flatbed	800 - 1150 mm / 2 ft. 7,5 in. - 3 ft. 9,3 in.
Overall width incl. mounted Glide Beam	2390 mm / 7 ft. 10,1 in.
Overall height incl. mounted Glide Beam	1265 - 1615 mm / 4 ft. 1,8 in. - 5 ft. 3,6 in.
Weight Flatbed Applicator	
Flatbed surface	Tempered glass + Cutting Mat
Electrical Voltage	110-250VAC, 50-60Hz
USB Charger	3,6A-5VDC
Required air supply	6-8 bar / 87-116 psi
Set pressure during operation	3-5 bar / 43,5-72,5 psi
Packing weight (Flatbed Applicator + package)	
Package Flatbed Applicator (LxWxH)	
Wheels	Yes (6)
Illuminated LED table (dimnable)	Yes
Warranty	5 year limited warranty *
User Manual	ENG

* Visit rollroller.com/our-products/warranty/ for more information




KEY FEATURES

- Updated model with improved dimmable illumination (LED) and storage trays
- Optimized media holder on bed end.
- Integrated USB A & C ports
- Open construction allows storage underneath
- Smart electronic height adjustment for a tailored experience.
- Wide range of options
- Ergonomic traverse

ROLLSROLLER SIGNATURE Plus is our new model and the perfect match for the modern sign shop.

It offers superior ergonomics, smart useful features and a platform that will allow you to upgrade whenever you need. With a strong welded frame of steel, dimmable Led, smart electronic height adjustment together with the new improved media holders for the short side and glide beam, the Signature Plus will become your new faithful partner for many years.

The installation is easier and quicker than ever and enables you to get started in no time!



info@rollssroller.se
rollssroller.se
+46 54 770 70 10

ROLLSROLLER®

SIGNATURE PLUS

600/170S

MODEL NAME	ROLLSROLLER 600/170S
Part No.	122-015
Model type	Signature Plus
Flatbed Length	6040 mm / 19 ft. 9,8 in.
Flatbed Width	1700 mm / 5 ft. 6,9 in.
Length of working area	5740 mm / 18 ft. 10 in.
Width of working area (Roller width)	1630 mm / 5 ft. 4,2 in.
Work height Flatbed	800 - 1150 mm / 2 ft. 7,5 in. - 3 ft. 9,3 in.
Overall width incl. mounted Glide Beam	1970 mm / 6 ft. 5,6 in.
Overall height incl. mounted Glide Beam	1265 - 1615 mm / 4 ft. 1,8 in. - 5 ft. 3,6 in.
Weight Flatbed Applicator	
Flatbed surface	Tempered glass + Cutting Mat
Electrical Voltage	110-250VAC, 50-60Hz
USB Charger	3,6A-5VDC
Required air supply	6-8 bar / 87-116 psi
Set pressure during operation	3-5 bar / 43,5-72,5 psi
Packing weight (Flatbed Applicator + package)	
Package Flatbed Applicator (LxWxH)	
Wheels	Yes (6)
Illuminated LED table (dimnable)	Yes
Warranty	5 year limited warranty *
User Manual	ENG

* Visit rollssroller.com/our-products/warranty/ for more information




KEY FEATURES

- Updated model with improved dimmable illumination (LED) and storage trays
- Optimized media holder on bed end.
- Integrated USB A & C ports
- Open construction allows storage underneath
- Smart electronic height adjustment for a tailored experience.
- Wide range of options
- Ergonomic traverse

ROLLSROLLER SIGNATURE Plus is our new model and the perfect match for the modern sign shop.

It offers superior ergonomics, smart useful features and a platform that will allow you to upgrade whenever you need. With a strong welded frame of steel, dimmable Led, smart electronic height adjustment together with the new improved media holders for the short side and glide beam, the Signature Plus will become your new faithful partner for many years.

The installation is easier and quicker than ever and enables you to get started in no time!



info@rollssroller.se
rollssroller.se
+46 54 770 70 10

ROLLSROLLER®

SIGNATURE PLUS

600/212S

MODEL NAME	ROLLSROLLER 600/212S
Part No.	122-015
Model type	Signature Plus
Flatbed Length	6040 mm / 19 ft. 9,8 in.
Flatbed Width	2120 mm / 6 ft. 11,5 in.
Length of working area	5740 mm / 18 ft. 10 in.
Width of working area (Roller width)	2050 mm / 6 ft. 8,7 in.
Work height Flatbed	800 - 1150 mm / 2 ft. 7,5 in. - 3 ft. 9,3 in.
Overall width incl. mounted Glide Beam	2390 mm / 7 ft. 10,1 in.
Overall height incl. mounted Glide Beam	1265 - 1615 mm / 4 ft. 1,8 in. - 5 ft. 3,6 in.
Weight Flatbed Applicator	
Flatbed surface	Tempered glass + Cutting Mat
Electrical Voltage	110-250VAC, 50-60Hz
USB Charger	3,6A-5VDC
Required air supply	6-8 bar / 87-116 psi
Set pressure during operation	3-5 bar / 43,5-72,5 psi
Packing weight (Flatbed Applicator + package)	
Package Flatbed Applicator (LxWxH)	
Wheels	Yes (6)
Illuminated LED table (dimnable)	Yes
Warranty	5 year limited warranty *
User Manual	ENG

* Visit rollssroller.com/our-products/warranty/ for more information